

Accreditation in Congenital Heart Disease (CHD) Echocardiography Information Pack

This pack is for the use of all candidates undergoing the accreditation process and becomes effective as of

1st June 2024

This document supersedes all previous versions.

This document is a guide to completing BSE accreditation

Submission, assessment criteria and portal user guide are included



Contents

Welcome message from the Chair of Accreditation3
Introduction & aims4
Summary of process requirements4
Exam fees
Extensions
Appeals
Mentor
Written Theory Examination
Multiple-choice section
Image reporting section7
Practical assessment7
Logbook submission7
Practical scanning assessment9
Patient case study viva assessment9
Practical assessment - outcomes and process for re-attempts (resubmissions)
Appendix 1: Training syllabus11
Appendix 2: Curriculum-based competency tool
Appendix 3: Reading list
Appendix 4: Written Examination Registration Guidance
Appendix 5: Written exam multiple choice questions example
Appendix 6: Written exam image reporting questions example
Appendix 7: BSE logbook portal user guidance
Appendix 8: Logbook guidance and marking criteria41
Logbook marking criteria
Appendix 9: Guidance for the removal of patient identifiable data
Appendix 10: Practical scanning assessment marking criteria45
Appendix 11: Patient case studies viva marking criteria46
Accreditation Process Overview
Useful Links & Contacts



Welcome message from the Chair of Accreditation

Dear Candidate,

Welcome to the British Society of Echocardiography (BSE). The process underlying accreditation is set up to assist the echocardiographer in training with the ultimate aim of achieving and maintaining a high standard of clinical echocardiography for the benefit of our patients.

The accreditation process is regulated to ensure high proficiency and professional standards. We aim to enable as many members as possible to achieve accreditation. A list of accredited members is maintained on the BSE website.

Please remember that we are here to support you throughout this process. If you need any assistance or have constructive feedback to offer the accreditation committee, please don't hesitate to let us know. We are committed to your success.

Good luck with your accreditation process.

Best wishes,

Bennett

Sadie Bennett

Chair, BSE Accreditation Committee





Introduction & aims

The BSE's congenital heart disease (CHD) accreditation is designed to maintain high standards of clinical echocardiography for the benefit of patients with CHD whilst providing Healthcare Professionals undertaking echocardiographic studies with additional training to support their practice.

Whilst the focus of this accreditation is designed for echocardiographers practising within an adult CHD setting, a proficient level of knowledge in the echocardiographic assessment of CHD in children and adults will be required.

- Accreditation is a service for BSE members and is not a compulsory or regulatory certificate of competence or excellence.
- Accredited members are expected to be able to perform and report echocardiographic studies unsupervised.
- The Accreditation process consists of a written theory examination and a practical assessment. This pack provides further instructions for both.
- > Accreditation is a minimum requirement and cannot be regarded as a guarantee of competence.
- Echocardiography skills can only be maintained by continued education and practical involvement in echocardiography. This is underlined by limiting accreditation to five years, after which reaccreditation must be sought. Further details surrounding re-accreditation are available on the BSE website.
- Accredited members are expected to uphold the BSE code of conduct standards. Where concerns about an accredited member's echocardiography practice arise, they should be dealt with locally in the first instance and only escalated to the Accreditation Chair if improvement in echocardiography practice has not been demonstrated.
- Return to practice routes for re-accreditation are available for previously accredited members.

Summary of process requirements

- 1. The candidate must be a member of the BSE and hold via BSE transthoracic echocardiography (TTE) or EACVI TTE accreditation prior to undertaking this accreditation process.
- 2. Candidates must have a designated mentor to assist them through the accreditation process.
- **3.** The accreditation process has two compulsory elements: a written theory examination and a practical assessment. **You must pass both elements to become an accredited member.**
- 4. The written theory exam comprises A multiple-choice question (MCQ) theory section and a "best answer" image reporting section.
- 5. The practical assessment consists of a logbook, a practical scanning assessment, and a viva assessment of five patient case studies.
- 6. The candidate must pass the written assessment before registering to attend the practical assessment.
- 7. The logbook should be collected within 24 months of the written examination.



Any queries regarding the accreditation process should be addressed to the BSE Accreditation Department; contact details and registrations are available at www.bsecho.org.

Tel: 0208 065 5794 (lines open from 09:00-17:00 Mon-Fri), mail: accreditation@bsecho.org.

Exam fees

A fee of £375 is charged for the complete accreditation process. This fee is payable upon registration for the written section of the examination and covers the practical assessment. There is a non-refundable booking fee of £50 upon registering for a secured placement at the practical assessment.

Candidates who are unsuccessful in the written section of the examination will be charged a reduced fee of £187.50 to re-sit this section. This reduced fee only applies to the second attempt if taken within 12 months of an unsuccessful first attempt.

Candidates are entitled to one re-attempt at the practical assessment. A re-attempt at the practical assessment is subject to an additional fee of £187.50.

Fee increases may occur annually.

Extensions

Extensions to the 24-month deadline may be granted. Extension request forms must be submitted **before the submission deadline**. Requests received after the case deadline may not be granted.

Less-than-full-time extensions are available for up to 24 months for candidates working less than fulltime as stipulated by their contracted hours. Further information can be found on the BSE website's <u>extension request</u> page.

Appeals

Candidates can appeal the decision on a practical assessment result. **There is no appeals process for the written section of the examination**. Further information on applying for an appeal can be found on the <u>practical assessment</u> page of the BSE website.

Mentor

A mentor is an experienced echocardiographer who can successfully guide a candidate through the BSE accreditation process. If the echocardiographer is BSE accredited, this is an advantage but not essential.

The mentor should understand the accreditation process, including the training syllabus (see Appendix 1) and all relevant assessment criteria.



The mentor must assess the candidate's ability to perform an CHD echocardiogram proficiently. Once a proficient level of ability is achieved, the mentor must complete the curriculum-based competency tool and the mentor statements. These can be accessed and completed via the online logbook portal. The curriculum-based competency tool can also be found in Appendix 2.

Candidates who cannot find a mentor should <u>contact us</u>; we will do our best to help them find a suitable mentor.

Written Theory Examination

Appendix 1 contains the whole training syllabus for this accreditation process, and Appendix 3 includes a recommended reading list.

The written theory examination is held once a year, usually in the Spring. It is held at various Pearson VUE centres across the UK, the Republic of Ireland, and some overseas locations. Registration dates are announced on the written assessment section of the BSE website. See Appendix 4 for registration guidance.

The written examination has two parts: an MCQ theory section and an Image reporting section. To pass the written examination overall, it is necessary to pass both parts at the same exam sitting.

If the first attempt is unsuccessful, candidates may be eligible to retake the exam at a reduced rate.

Reduced rate: This only applies to a second attempt if it is taken within 12 months of the first attempt. If the second attempt is unsuccessful, the next attempt will be charged at the full fee.

There is no bar to re-sitting the written examination any number of times.

The pass mark for the MCQ is 70%, and the pass mark for the image reporting section is 60%. Following moderation, the Accreditation Chair may decide to vary these slightly.

Accreditation is awarded once a candidate has successfully completed the practical assessment. Satisfactory performance at the written assessment alone does not allow 'partial accreditation.'

Multiple-choice section

- Consists of 25 questions that must be answered within 60 minutes.
- Questions are designed to test the knowledge of echocardiographic findings, basic cardiology and the physics of ultrasound.
- Each question comprises a brief statement followed by five questions. Candidates are required to answer 'true' or 'false' to each question. Example questions are provided in Appendix 5.
- This part of the examination will be marked +1 for correct answers and 0 for incorrect or unanswered questions (no negative marking).
- There are no 'trick' questions.
- There are no fixed number of correct answers, i.e. for each question, every answer can be false or, every answer to be true or any combination of true or false.
- The maximum possible mark is 125.



Image reporting section

- Consists of 50 questions centred around 10 patient case studies that must be answered within 90 minutes.
- The candidate will be presented with 10 patient case studies. Each case study will consist of relevant patient details and various echocardiographic images.
- For each case study, the candidate must answer five questions. Each question will have four possible answers; the candidate must select the best single answer. An example case study and questions are provided in Appendix 6.
- The maximum possible mark is 50.

Practical assessment

This is held up to two times per year (subject to candidate demand). Dates, locations and online registration instructions are announced on the <u>practical assessment</u> section of BSE website.

The practical assessment has three parts: a 200-case logbook, a practical scanning assessment, and a viva assessment of five patient case studies.

All candidates will be required to attend within 26 months of starting the accreditation process (i.e., within two months of their case collection deadline). A two-month grace period is designed to give the candidate time to review, prepare, and submit the logbook and five viva cases.

Registration should **ONLY** be sought after collecting the logbook and patient case studies.

It is the Candidates responsibility to ensure they enter correct information on registration forms. Incorrect information will lead to a rejected registration.

Logbook submission

The logbook should demonstrate the candidate's ability to meet the competencies, as shown in Appendix 2. The specific case mix of the logbook is shown below.

It should consist of 200 reports personally **performed and reported** by the candidate during the specified 24-month period.

The logbook format is copies of the actual clinical report. The reports are to be uploaded and submitted via the BSE logbook portal. Please see the portal user guide in Appendix 7. Non-portal logbooks will not be accepted.

Please see Appendix 8 for full details of what is expected in reports and how the logbook is marked.

Duplicate reports are not acceptable.

If a candidate has problems finding enough specific cases, they should discuss this with their mentor, who may consider arranging for the candidate to attend a nearby centre.

The logbook should reflect the candidate's best clinical practice, and as such, targeted scans should not be included unless they show a significant and rare pathology.

Competencies and mentor statements are to be completed via the BSE logbook portal.

Fully subscribed BSE members can request access to the portal before sitting the written examination by emailing <u>accreditation@bsecho.org</u>.



The logbook case mix should include:

- A maximum of 5 cases should be for sequential segmental analysis where there is no significant cardiac abnormality.
- At least 25 cases should be for unrepaired shunt lesions.
- At least 25 cases should be for repaired shunt lesions.
- > At least 5 cases should be for unrepaired cyanotic or complex congenital disease.
- > At least 25 cases should be for repaired cyanotic or complex congenital disease.
- At least 25 cases should be for valve disease / outflow obstruction.
- At least 5 cases should be for replacement / repaired valves.
- > At least 5 cases should be for suspected coronary artery anomalies.

Additional information for logbook case mix:

- Sequential segmental analysis may include normally connected hearts.
- Unrepaired shunt lesions may include ASD, VSD, AVSD, PDA.
- Repaired shunt lesions may include ASD, VSD, AVSD, PDA.
- Unrepaired cyanotic or complex congenital disease may include TGA, tetralogy of Fallot, pulmonary atresia with VSD, pulmonary atresia with intact septum, DORV, truncus arteriosus, anomalous pulmonary venous drainage, univentricular heart or ccTGA.
- Repaired cyanotic or complex congenital disease may include TGA, tetralogy of Fallot, pulmonary atresia with VSD, pulmonary atresia with intact septum, DORV, truncus arteriosus, anomalous pulmonary venous drainage, univentricular heart or ccTGA.
- Valve disease / outflow obstruction may include subvalvular membrane, bicuspid aortic valve, coarctation, Ebstein's anomaly or pulmonary stenosis.
- Replacement / repaired valves in the setting of CHD may include any replaced/repaired valves.
- Suspected coronary artery anomalies may include normal ostia findings.

Other information regarding the logbook:

- All patient-identifiable data needs to be removed. This may require the manual removal of identifiable data. See Appendix 9.
- At least the final 150 cases should be reported primarily by the candidate, although they may be checked by another operator.
- We expect reports to reflect departmental practice at your centre but may question candidates on up-to-date normal ranges as they are published.
- The candidate's name must appear on the report as the performing and reporting echocardiographer/sonographer. Where local policy deviates from this, a supporting letter and current standard operating procedure from the departments echo lead stating local policy should be included. This should be submitted under the "optional supporting information" section on the BSE logbook portal.
- Final sign-off / validation of the logbook is undertaken by the department's echo lead. Please see the portal user guide in Appendix 7.



Practical scanning assessment

Consists of a candidate acquiring up to 10 different echocardiographic imaging views within 20 minutes. A real-life model or simulator may be used.

This part of the assessment is designed to assess a candidates practical scanning ability along with their ability to perform basic image optimisation.

All imaging views used in this assessment are taken from the from the recommended minimum CHD imaging list as shown on the BSE website.

A pass mark/trigger score of 66% is used. Once obtained, the candidate will be deemed successful at this part of the assessment process.

The candidate is not expected to be familiar with the equipment. The Assessor will alter the equipment setting as directed by the candidate.

For full details of the practical scanning marking criteria, please see Appendix 10.

Patient case study viva assessment

Consists of a viva assessment of five separate patient case studies. See below for the required cases.

The candidate will be expected to discuss their patient cases with the Assessor. All five cases may be reviewed.

For full details of the viva case marking criteria please see Appendix 11.

The cases must represent a complete, high-quality study. They should be accompanied by a printed report that is complete, comprehensive, and reflects the patient case study being presented.

The candidate must ensure that at least one full cardiac cycle is recorded. The cases must play automatically / continuously within a PowerPoint presentation (or equivalent). Cases that do not play appropriately may be classified as an unsuccessful attempt.

Candidates must bring and present their patient case studies on their own laptop. It is the candidate's responsibility to ensure these are anonymised and can be viewed in a manner that allows an assessment of the cases being presented.

The viva case studies should include one of each of the following:

- 1. A study showing no significant abnormality.
- 2. A study showing echocardiographic assessment of a simple unrepaired lesion.
- 3. A study showing echocardiographic assessment of uncorrected complex or cyanotic heart disease.
- 4. A study showing echocardiographic assessment of a repaired case of complex CHD.
- 5. A study showing left or right heart obstruction.

Patient case studies may be used in subsequent BSE written exams, educational and training sessions

Top of document



Practical assessment - outcomes and process for re-attempts (resubmissions)

A candidate will have two attempts at passing the practical assessment part of the accreditation process. A second attempt (referred to as resubmission) at the practical assessment is subject to a fee of £187.50.

- If a candidate is successful in all three parts of the practical assessment, the candidate will be awarded BSE accreditation and will join the accredited member list.
- If a candidate is unsuccessful in any of the three parts of the practical assessment, the candidate will be deemed unsuccessful at this first attempt. The candidate will be given constructive feedback to facilitate a re-attempt. The candidate may be requested to resubmit logbook reports/patient case studies. These must be new reports / patient case studies. A candidate is not permitted to resubmit previously assessed work under any circumstance.
- If a candidate fails the second attempt (resubmission), the accreditation process must start over, with the candidate undertaking the written examination again.

In the event of an unsuccessful attempt, the candidate is required to:

Attend another practical assessment and re-attempt **ONLY** the parts of the practical assessment that the candidate was unsuccessful at in the first attempt. The pass marks from the remaining practical assessment elements will be upheld.

The timescale allowed for re-attempts (resubmissions) will depend on which elements were unsuccessful and the candidates' current and future work commitments. This will be discussed with the candidate during the first attempt. Typical timeframes may include 3-9 months and can be up to 12 months following the first attempt.

Our feedback consistently demonstrates that non-face-to-face feedback does not adequately equip a candidate to pass at the next sitting. Therefore, all re-attempts at the practical assessment require the candidate's attendance in person to facilitate adequate and helpful face-to-face feedback*

*We may authorise virtual or remote submissions, subject to committee approval.



Appendix 1: Training syllabus

The following sections form the minimum suggested training syllabus for this accreditation process. Candidates should use as a guide to prepare for the written and practical assessments of this accreditation process.

1. General Concepts

1.1 Image optimisation

- Factors affecting choice of imaging frequency: typical practical values for adults & children
- Use of distraction techniques to assist in obtaining images
- Use of non-standard views

1.2 Relationship with patients

- Explaining the procedure in terms relevant to the particular patient
- Respect for patients' dignity and cultural backgrounds
- Relationships with patient, parents, carers and colleagues
- Handling requests for information about the study findings

1.3. Conscious sedation in children

- Explaining the procedure in terms relevant to the patient/parents
- Specific environment for performing studies in children/adults with CHD
- Indications for conscious sedation
- Precautions, dosage, follow-up

1.4 Reporting and Documentation

Standard methods & terminology used for describing congenital heart disease (segmental sequential analysis)

Top of document



2. Cardiac Anatomy and Physiology

2.1 Anatomy of the thorax

- Thorax contained by rib cage & diaphragm
- Lungs & pleura; heart & pericardium; mediastinum
- Blood vessels within the thorax

2.2 Cardiac morphology and echo identification for the congenital sonographer

- Cardiac position, levocardia, dextrocardia, mesocardia
- Atrial situs definition, abdominal aorta and great vein relationship
- Systemic venous return: morphology
- Pulmonary venous return: morphology
- Atrial anatomy
 - o difference between right and left atrium, atrial appendages
- Ventricular anatomy
 - o Morphology of right and left ventricle
 - o Atrioventricular valve arrangement
 - o Trabecular pattern
 - o Ventricular shape.
 - o Inlet and outlet valve relationships
 - Chordal attachments
- Atrioventricular valves:
 - o anatomy of mitral and tricuspid valve
- Semilunar valves: anatomy of pulmonary and aortic valve
- Intra-atrial septum
 - Morphology
 - o Primum and secundum septum
 - o Foramen ovale
 - o Sinus venosus
- Interventricular septum
 - Morphology
 - o Inlet
 - o Outlet
 - o Membranous
 - o muscular septum
 - Pulmonary artery anatomy
 - Aortic anatomy
 - Coronary artery anatomy: normal anatomy and variants
 - The arterial duct: normal anatomy and normal variants
 - The pericardium: anatomy
 - Visualisation of normal cardiac anatomy and normal variants in standard echocardiography planes
 - Normal valve function, normal Doppler parameters and normal variants

2.3 Terminology of congenital heart disease

Atrial situs and situs abnormalities

 Situs inversus

Top of document



- Right and left isomerism
- o Cortriatriatum
- Atrioventricular connections
 - \circ Concordant
 - o Discordant
 - o Double inlet
 - $\circ\,\mathsf{Absent}$ connection
 - \circ Straddling valves
 - o Criss-cross connections
- 'Univentricular' heart: description of different variants
- Ventriculoarterial connections
 - o Concordant
 - o Discordant
 - Single outlet
 - o Double inlet
- Great artery relationships

2.4 The physiology of congenital heart disease

- The fetal circulation: how it differs from the postnatal circulation
- Circulatory changes at birth: the neonatal circulation
- Adaptations in circulatory physiology during the first weeks of life
- Causes of chamber dilation and hypertrophy
- Ventricular pressure and volume overload
- Physiological effect of shunts at atrial, ventricular and great artery level
- Physiological effect of regurgitation through all four valves
- Physiological effect of stenosis on all four valves

2.5 Cardiac anatomy and physiology as demonstrated by echocardiography

- Detailed structural anatomy of the heart, great vessels and pericardium
- Visualisation of normal cardiac anatomy and normal variants in standard echocardiographic planes
- Normal valve function, normal Doppler parameters and normal variants
- The phases of atrial function: reservoir, conduit and contractile phases
- The LV remodelling process in response to disease: eccentric (chronically elevated preload) vs. concentric hypertrophy (chronically elevated afterload)

2.6 The Cardiac Cycle

- Temporal relationships of the ECG, chamber pressures and valve movements
- Typical values for intracardiac pressures
- Relationship of valve movements to heart sounds
- Identification of valve opening and closure signals on Doppler recordings
- The timing of aortic valve closure as a marker of end-ejection, as derived from M-mode, blood flow Doppler or tissue Doppler

3. Cardiac functional parameters

3.1 Measurements and calculations



- On-screen measurement of length, slope, area, volume and time interval, and their significance for 2-D, 3D images, M-mode and spectral Doppler displays
- Standard M-mode measurements (including MAPSE and TAPSE) and calculations, both using machine software and manual methods
- Derivation of Stroke Volume, Ejection Fraction and LV Mass
- Methods of measuring LV volume, including biplane area, area-length, Simpson's rule methods and 3D.
- Limitations of single plane estimations of LV ejection fraction e.g. Teicholtz formula method
- Limitations of single plane measurements of LA size
- Geometric assumptions used in estimation of cardiac chamber volumes with M mode and 2D imaging
- The advantages of deriving volumes and ejection fraction by 3D echocardiography
- Limitations of measurement and/or calculation validity in the presence of poor quality and/or off-axis images
- Assessment of cardiac structures in paediatrics referenced to Z scores

3.2 Doppler determination of cardiac output, ejection time and velocity acceleration

- On-screen measurement of length, slope, area, volume and time interval, and their significance for 2-D, 3D images, M-mode and spectral Doppler displays
- Standard M-mode measurements (including MAPSE and TAPSE) and calculations, both using machine software and manual methods
- Derivation of Stroke Volume, Ejection Fraction and LV Mass
- Methods of measuring LV volume, including biplane area, area-length, Simpson's rule methods and 3D.
- Methods of measuring diastolic dysfunction: E/A ratio, deceleration time, pulmonary venous flow patterns, the ratio of the peak early diastolic transmitral velocity and the peak early diastolic tissue velocity of the mitral valve annulus (the E/E' or E/Ea) ratio for estimating LV filling pressures, the mitral valve propagation velocity.
- Peak and Mean pressure gradient measurements by Doppler and their relationship to catheterisation data
- Measurement of pulmonary pressures from tricuspid and pulmonary regurgitant flow velocities and assessment of inferior vena cava contraction during inspiration

4. Contrast studies

- Significance of spontaneous echo contrast
- Optimisation of machine control settings for detecting contrast
- Main indications for a bubble contrast study: diagnosis of intracardiac shunts and PFO, diagnosis of left sided SVC
- Manoeuvres to provoke right to left passage of bubbles during assessment for PFO
- Relevance of injecting bubble contrast through upper arm vein vs. femoral vein for detecting PFO
- Technique for performing a hand-agitated contrast study
- Clinical precautions
- 5. Pathology and echocardiographic assessment for the congenital sonographer
- 5.1 Septation defects



Atrial communications

oAnatomical variations :Sinus venosus, secundum, primum defects, unroofed coronary sinus and associated lesions

- o Echo features of atrial communications
- o Assessment of shunt
- o Evaluation of right heart pressures
- o Evaluation of pulmonary veins
- o Surgical and percutaneous closure of defect and echo assessment following closure
- Ventricular septal defects
 - \circ Anatomical variations : perimembranous, muscular, apical, doubly committed \circ Echo features of VSD
 - o Assessment of haemodynamic effect of the shunt, restrictive / non restrictive
 - o Evaluation of right heart pressures
 - o Aortic valve cusp prolapse
 - o Subvalvar aortic stenosis
 - o Double chambered RV
 - o Malalignment of the ventricular septum, anterior / posterior deviation
 - o Percutaneous and surgical closure of VSD's and echo assessment following closure
- Atrio-ventrcular septal defect (AVSD)
 - o Anatomical variations
 - o Echo features of AVSD
 - o AV valve function in AVSD
 - o Assessment of LVOT obstruction
 - o Evaluation of pulmonary hypertension
 - o Echo assessment following surgical correction

5.2 Shunt lesions (not caused by septation defects)

- Arterial duct
 - o Anatomical variations
 - o Echo views to assess arterial ducts
 - o Haemodynamic effects of an arterial duct
 - o Ductal flow patterns
 - o Surgical and percutaneous closure of defect and echo assessment following closure
- Basic anatomy and echo features of other acyanotic lesions
 - o AP window
 - o Unroofed CS
 - o PA from aorta
 - \circ Coronary artery fistula
 - o Sinus of Valslva fistula

5.3 Cyanotic Shunts



- Transposition of the Great Arteries (TGA)

 Anatomy and variations
 Echo features of TGA in the newborn
 Associated lesions (VSD, PS)
 Coronary artery anatomy and variations
 Surgical treatment in TGA
 Echo evaluation and assessment following atrial switch
 Echo evaluation and assessment in arterial switch
 Echo evaluation and assessment following Rastelli procedure
- Tetralogy of Fallot / Pulmonary atresia with VSD

 Anatomy and variations
 - o Assessment of pulmonary blood flow
 - o Echo assessment in uncorrected TOF
 - o Assessment of coronary arteries
 - o Surgical treatment for TOF
- Echo assessment and evaluation of the post operative TOF and associated

complications.

- Pulmonary atresia intact septum o Anatomy and variants o Echo assessment of pre operative patient o Percutaneous and surgical assessment and the echo evaluation of the treatments
- Double Outlet Right Ventricle (DORV)

 Anatomy and variations
 Echo evaluation and assessment of uncorrected DORV
 Surgical treatments
 Echo evaluation and assessment of the post operative patient
- Truncus arteriosus

 Anatomy and variations
 Echo evaluation and assessment of the pre op patient
 Surgical treatment
- Anomalous pulmonary venous drainage
 - Anatomy and variations, partial and total, supracardiac and infracardiac
 Assessment of pulmonary veins in partial and total anomalous pulmonary venous drainage.
 - o Echo features pre and post surgical correction

5.4 **Other complex lesions**

- Univentricular heart
 - \circ Anatomy and variations
 - o Echo assessment and evaluation
 - o Staged surgical and interventional procedures



• Evaluation of Fontan circulation by echocardiography

ccTGA, Double discordance

 Anatomy and variations
 Echo assessment of evaluation of unrepaired ccTGA
 Surgical treatment options and post-operative assessment, including double switch.

5.5 Congenital valvular disease/Outflow tract obstruction

Mitral valve anomalies

- Echo assessment of the congenitally abnormal mitral valve

 Anatomy and different variants of mitral valve anomalies
 Description of the valve and subvalvar apparatus
 Measurement of orifice area by planimetry
- Doppler assessment of severity of stenosis/regurgitation

 Mean and end-diastolic gradient
 Valve area by pressure half-time: technique and limitations
- Mitral valve prolapse: definition and echocardiographic assessment
- Echocardiographic assessment of surgical mitral valve repair

Aortic valve anomalies

- Echo assessment of the congenitally abnormal aortic valve

 Anatomy and different variants of aortic valve
 Assessment of the left ventricle: size, hypertrophy, systolic and diastolic function
 Associated left ventricular outflow tract abnormalities
 Effect on the aortic root
 Associated lesions
- Doppler assessment of the aortic stenosis and regurgitation

 Assessment by CW Doppler, including stand-alone CW probe
 Peak and mean gradients
 Apical, right parasternal and suprasternal positions
 Continuity equation
- Echocardiographic assessment of surgical and percutaneous treatments for congenital aortic valve disease including balloon valvuloplasty, repair, Ross procedure
- Echocardiographic assessment of the aorta in Marfans syndrome, Sinus of Valsalva aneurysm, aortic dissection.



Tricuspid anomalies

- Echo assessment of the tricuspid valve
 - oAnatomy and congenital variations of the tricuspid valve including dysplastic TV, Ebsteins anomaly
 - o Assessment of the right heart, size and function
 - o Doppler assessment of stenosis and regurgitation
 - Echocardiographic assessment of surgical and percutaneous treatment for the tricuspid valve

Pulmonary anomalies

- Echo assessment of the tricuspid valve
 - oAnatomy and congenital variations of the pulmonary valve, sub valvar, valvar, supravalvar lesions
 - o Imaging and Doppler assessment of the outflow tract, infundibular obstruction
 - o Assessment of the right heart, size and function
 - o Doppler assessment of obstruction / regurgitation
 - o Associated abnormalities
 - o Echo assessment of surgical and percutaneous treatment for the pulmonary valve

LV outflow tract obstruction

- Echo assessment of subvalvar aortic stenois

 Anatomy and congenital variations
 Imaging and Doppler assessment
 Surgical procedures and complications
 Associated lesions
- Echo assessment of supravalvar aortc stenosis

 Anatomy and congenital variations
 Imaging and Doppler assessment
 Surgical procedures
 Associated lesions

Coarctation of the aorta

- o Anatomy and variations of the aortic arch
 o Site and type of narrowing
 o Imaging and Doppler assessment including full Bernoulli equation
 o Effect of a patent arterial duct on the assessment of the arch
 o Percutaneous and surgical procedures and the post op echo assessment
 o Associated lesions
 o Complications and re-coarctation
- Interrupted aortic arch

 Site and type of interruption of the aorta
 Imaging and Doppler assessment



o Associated lesionso Surgical procedures and post op echo assessment

RV Outflow tract obstruction

- Echo assessment of subvalvar pulmonary stenosis

 Anatomy and congenital variations
 Imaging and Doppler assessment
 Surgical procedures
 Associated lesions
- Supravalvar stenosis and peripheral branch PS

 Anatomy and congenital variations
 Imaging and Doppler assessment
 Surgical procedures
 Associated lesions

5.6 Prosthetic Valves

2D, M-Mode and Doppler features of the main types of replacement valves

- Tilting Disc
- Bi-leaflet
- Bioprostheses (stented and stentless)
- Age-related deterioration of bioprostheses
- Role of TOE in examining normal and malfunctioning prosthetic valves

Prosthetic valve stenosis

- Assessment by 2D, M-mode and Doppler
- Normal ranges
- Use of Continuity Equation for aortic prostheses
- The phenomenon of pressure recovery
- The diagnosis of patient-prosthesis mismatch

Prosthetic valve regurgitation

- Trans-versus para-valvar regurgitation
- Normal versus abnormal regurgitation
- Assessment by CW, PW and Colour
- Doppler Colour artefacts from mechanical prostheses

5.7 Congenital coronary anomalies

- Anatomy & nomenclature of the major branches of the coronary arteries
- Imaging of the coronary artery origins
- Relationship of coronary anatomy to standard echocardiographic imaging planes
- Echo identification and assessment of congenital coronary artery anomalies including anomalous origins and transmural coronary course



- Physiological effect of coronary artery abnormalities
- Echo assessment of surgical treatment for coronary artery anomalies
- Echo features and assessment of coronary artery fistulae
- Echo assessment for surgical and percutaneous treatment of coronary artery fistulae
- Use of Z scores in congenital coronary anomalies

5.8 Intracardiac Masses

- Typical locations for formation of intracardiac thrombus
- Intracardiac masses that may present in childhood and their echo features, e.g. rhabdomyoma, fibroma, teratoma, myxcoma
- Features suggestive of malignancy
- Role of TOE in assessment of intracardiac masses
- Role of contrast in the assessment of intracardiac masses

6. Acquired heart disease

6.1 Infective endocarditis

- Use of Z Typical echocardiographic appearance of vegetations in bacterial and fungal endocarditis
- Preferred locations for vegetations
- 'Jet', 'kissing' lesions
- Endocarditis associated with congenital disease and HCM
- Complications: abscess, fistula, perforation, valve regurgitation
- Role of TOE in suspected

6.2 Pericardial disease

Echocardiographic features of pericardial fluid

- o Location of fluid in relation to patient position and fluid volume o Differentiation from pleural effusion
- o Assessment of volume of pericardial fluid
- o Role of echocardiography in pericardiocentesis

• Features of tamponade

- o Collapse of RA and/or RV walls
- o Effect on IVC and hepatic vein flow pattern
- o Effect on A-V valve flow velocities during respiratory cycle

6.3 Kawasaki disease

- Echo assessment and follow up of Kawasaki disease
- Assessment of coronary artery ostia
- Use of Z scores to assess coronary artery dimensions

6.4 Duchene Muscular Dystrophy

• Echo assessment and follow up of Duchene muscular dystrophy



6.5 Rheumatic fever

• Echo assessment and follow up of rheumatic fever

6.6 Pulmonary Hypertension and functional assessment of RV

- 2-D, M-mode and Doppler features of pulmonary hypertension
- Aetiologies: primary; post pulmonary embolism; secondary to left-sided lesions; lung disease
- Assessment of global systolic function of the RV: Tricuspid annular peak systolic
- Excursion by M-mode (TAPSE), fractional area change of the RV, tissue Doppler of the RV
- Right ventricular dysfunction in pulmonary embolism, chronic pulmonary diseases, cardiomyopathy, Eisenmenger's syndrome, and systemic right ventricle

7. Inherited cardiac conditions

- Echocardiographic assessment and features of:
 o Arrhythmogenic right ventricle
 o Hypertrophic cardiomyopathy
 - o Dilated cardiomyopathy
 - o Marfans syndrome
 - o Loeys Dietz syndrome

8. Additional topics

 The level of knowledge expected is that of a competent echocardiographer performing CHD-A studies and sustaining knowledge through the BSE and other educational resources, including issues relevant to clinical scanning and practice raised in the <u>BSE</u> <u>Newsletter</u>.



Appendix 2: Curriculum-based competency tool

The following competency assessment tool should be used to ensure all knowledge and practical experience is covered during the candidates' training period.

The competency tool is now required to be completed by the candidate's mentor via the BSE <u>online logbook</u> <u>portal</u>.

Competency	Date
	achieved
1. BASIC ECHOCARDIOGRAPHY	
Knowledge	
Basic principles of ultrasound	
Basic principles of spectral Doppler	
Basic principles of colour flow Doppler	
Basic instrumentation	
Ethics and sensitivities of patient care	
Basic anatomy of the heart	
Basic echocardiographic scan planes	
Parasternal long axis standard, RV inflow, RV outflow	
Parasternal short axis including aortic valve, mitral valve and papillary muscles	
Apical views, 4- and 5-chamber, 2-chamber and long-axis.	
Subcostal and suprasternal views	
Indications for transthoracic and transoesophageal echocardiography	
Normal variants and artefacts	
Practical competencies	
Interacts appropriately with patients	
Understands basic instrumentation	
Cares for machine appropriately	
Can obtain standard views	
Can optimise gain setting, sector width, depth, harmonics, focus, sweep speed, Doppler	
baseline and scale, colour gain	
Can obtain standard measurements using 2D or M-mode	
Can recognise normal variants; Eustachian valve; Chiari work; LV tendon	
Can use colour Doppler examination in at least two planes for all valves optimising gain	
and box-size	
Can obtain pulsed Doppler and continuous wave Doppler adequately	
2. LEFT VENTRICLE	
Knowledge	
Coronary anatomy and correlation with 2D views of left ventricle.	
Segmentation of the left ventricle wall motion	
Measurements of global systolic function. (LVOT VTI, stroke volume, fractional	
shortening, ejection fraction	
using Simpson's biplane method)	
Doppler mitral valve filling patterns & normal range	
Appearance and complications post-surgery	
Appearance of complications after myocardial infarction	
Aneurysm, pseudoaneurysm,	
Ventricular septal and papillary muscle rupture	



	I
Ischaemic mitral regurgitation	
Features of dilated, and hypertrophic cardiomyopathy and common differential diagnosis;	
Athletic heart; hypertensive disease	
Practical competencies	
Can differentiate normal from abnormal LV systolic function	
Can recognise large wall motion abnormalities	
Can describe wall motion abnormalities and myocardial segments	
Can obtain basic measures of systolic function VTI, FS, LVEF	
Understands & can differentiate diastolic filling patterns	
Can detect and recognise complications after myocardial infarction	
Can detect and recognise complications post-surgery	
Understands causes of a hypokinetic left ventricle	
Can recognise features associated with cardiomyopathies	
Can recognise hypertensive heart disease	
3. MITRAL VALVE DISEASE	
Knowledge	
Normal anatomy of the mitral valve, and the subvalvular apparatus and their relationship	
with LV function Causes of mitral stenosis and regurgitation-Ischaemic, functional,	
prolapse, rheumatic, endocarditis, cleft, double orifice	
Practical competencies	
Can recognise rheumatic mitral valve disease	
Can recognise mitral valve prolapse	
Can recognise functional mitral regurgitation	
Can assess mitral stenosis; 2D planimetry, pressure half-time, mean pressure gradient	
Can assess severity of mitral regurgitation, chamber size, signal density, PISA & vena	
contracta	
Can recognise surgical repair of mitral valve	
Can recognise and interrogate mitral valve replacement	
4. AORTIC VALVE DISEASE and AORTA	
Knowledge	
Causes of aortic valve disease	
Causes of disease of the aorta	
Methods of assessment of aortic stenosis and regurgitation	
Basic criteria for surgery to understand reasons for making measurements	
Practical competencies	
Can recognise bicuspid, unicuspid, quadracuspid, rheumatic, and degenerative disease	
Can recognise a significantly stenotic aortic valve	
Can recognise sub and supra valvular stenosis	
Can recognise LVOT obstructions; aortic subvalvular membrane	
Can derive peak & mean gradients using continuous wave Doppler	
Can measure valve area using the continuity equation	
Can recognise severe aortic regurgitation	
Can recognise dilatation of the ascending aorta	
Can recognise variations of the aortic arch	
Can recognise coarctation of the aorta and aortic arch interruptions	
Can recognise post-operative appearance	
Can recognise aortic dissection	
5. Right heart	
Knowledge	
Causes of tricuspid and pulmonary valve disease	
	1



Causes of right ventricular dysfunction	
Causes of pulmonary hypertension	
The imaging features of pulmonary hypertension	
The estimation of pulmonary pressures	
Practical competencies	
Recognises right ventricular dilatation	
Can estimate PA systolic pressure	
Can estimate right atrial pressure from the appearance of the IVC	
Can recognise congenital variations of tricuspid valve disease; Ebsteins anomaly,	
dysplastic pulmonary and tricuspid valves	
Can recognise pulmonary valve, sub and supra valvular stenosis	
Can recognise RVOT and infundibular obstruction	
Can recognise tricuspid valve stenosis including rheumatic involvement	
Can recognise pulmonary branch stenosis	
Can recognise aberrant left pulmonary artery (sling)	
6. REPLACEMENT / REPAIRED HEART VALVES	
Knowledge	
Types of valve replacement / repair criteria of normality	
Signs of failure	
Practical competencies	
Can recognise broad types of replacement / repair valve	and the second s
Can recognise para-prosthetic regurgitation	
Can recognise prosthetic obstruction	
7. INFECTIVE ENDOCARDITIS	
Knowledge	
Echocardiographic features of endocarditis Criteria for TOE	
Practical competencies	
Can recognise typical vegetations	
Can recognise an abscess	
Can recognise complications just on valve regurgitation	
8. INTRACARDIAC MASSES	
Knowledge	
Types of mass found in the heart	
Features of a myxoma	
Differentiation of atrial mass	
Normal variants and artifacts	
Practical competencies	
Can recognise a LA myxoma	
Can differentiate LV thrombus and trabeculation	
9. PERICARDIAL DISEASE	
Knowledge	
Features of tamponade	
RV collapse, effect on IVC, AV valve flow velocities and respiratory variation.	
Features of pericardial constriction	
Differentiation of pericardial constriction from restrictive cardiomyopathy	
Practical competencies	
Can differentiate a pleural and pericardial effusion	



Can recognise the features of tamponade	
Can recognise restrictive physiology	
10. SEPTATION DEFECTS	
Knowledge	
Atrial communications and anatomical variations; Sinus venosus; secundum; primum	
defects; unroofed coronary sinus and associated lesions	
Echo features of atrial communications	
Ventricular septal defects and anatomical variations; perimembranous; muscular; apical;	
doubly committed	
Echo features of ventricular septal defect	
Surgical and percutaneous closure of defect and echo assessment following closure	
Atrio-ventricular septal defect (AVSD) and anatomical variations	
Echo features of AVSD	
Practical competencies	
Can recognise an atrial communication and direction of shunt	
Assessment of haemodynamic effect of the shunt, restrictive / non restrictive	1.00
Evaluation of right heart pressures	
Can recognise malalignment of the ventricular septum, anterior / posterior deviation	
Percutaneous and surgical closure of VSD's and echo assessment following closure	
Can identify AV valve function in AVSD and name the leaflets	
Can assess LVOT obstruction	
Echo assessment following surgical correction	
11. PATENT DUCTUS ARTERIOSUS (PDA)	
Knowledge	
Anatomical variations and location	
Haemodynamic effects of PDA; left heart dilatation	
Practical competencies	
Can recognise ductal Doppler flow patterns	
Surgical and percutaneous close of defect and echo assessment	
Can recognise the difference between a PDA and aorto-pulmonary collateral	
12. TRANSPOSITION OF THE GREAT ARTERIES (TGA)	
Knowledge	
Transposition of the Great Arteries (TGA) anatomy and variations	
Echo features of TGA and associated lesions (VSD, PS)	
Coronary artery anatomy and variations	
Surgical repair of TGA (atrial/arterial switch)	
Practical competencies	
Echo evaluation and assessment following atrial switch	
Echo evaluation and assessment in arterial switch	
Echo evaluation and assessment following Rastelli procedure	
Echo evaluation and assessment following Le Compte manoeuvre	
13. TETRALOGY OF FALLOT (TOF)	
Knowledge	
Anatomy and variations of TOF	
Assessment of pulmonary blood flow	
Surgical repair for TOF	
Practical competencies	
Assessment of coronary arteries Echo assessment in uncorrected TOF	



Echo according to a valuation of the next energies TOF and exercised energies the	
Echo assessment and evaluation of the post-operative TOF and associated complications.	
14. DOUBLE OUTLET RIGHT VENTRICLE (DORV)	
Knowledge	
Anatomy and variations of DORV	
Practical competencies	
Echo evaluation and assessment of uncorrected DORV	
Surgical repairs with echo evaluation and assessment of the post-operative patient	
15. TRUNCUS ARTERIOSUS	
Knowledge	
Anatomy and variations of truncus	
Surgical treatment with post-op appearance	
Practical competencies	
Echo evaluation and assessment of the unoperated lesion	
Echo evaluation of the truncal valve; regurgitation, number or leaflets	
16. ANOMLAOUS PULMONARY VENOUS DRAINAGE	
Knowledge	
Anatomy and variations; partial and total, supra cardiac and infra cardiac	
Haemodynamic effect on heart	
Practical competencies	
Assessment of pulmonary veins in partial and total anomalous pulmonary venous	
drainage.	
Echo features pre and post-surgical correction	
17. UNIVENTRICULAR HEART Knowledge	
Anatomy and variations of a univentricular heart	
Staged surgical and interventional procedures	
Practical competencies	
Echo assessment and evaluation	
Evaluation of Fontan circulation by echo	
18. CONGENITALLY CORRECTED TRANSPOSITION OF THE GREAT ARTERIES (CCTGA OR	
DOUBLE DISCORDANCE; AV/VA DISCORDANCE)	
Knowledge	
Anatomy and variations of ccTGA	
Surgical treatment options and post-operative assessment, including double switch.	
Practical competencies	
Echo assessment of evaluation of unrepaired ccTGA	
Echo assessment of evaluation of repaired ccTGA	
19. CORONARY ANOMALIES	
Knowledge	
Anatomy of the major branches of the coronary arteries	
Physiological effect of coronary artery abnormalities	
Echo features and assessment of coronary artery fistulae	
Use of Z scores in congenital coronary anomalies; Kawasaki	
Practical competencies	
Can image the coronary artery origins	
Relationship of coronary anatomy to standard echocardiographic imaging planes	



Echo identification and assessment of congenital coronary artery anomalies including anomalous origins and transmural coronary course Echo assessment of surgical treatment for coronary artery anomalies Echo assessment for surgical and percutaneous treatment of coronary artery fistulae





Appendix 3: Reading list

The reading list is provided by the Accreditation Committee of the British Society of Echocardiography and represents only a handful texts that are available for candidates to learn from

- 1. Echocardiography in Adult Congenital Heart Disease; Wei Li, Michael Henein, Michael Gatzoulis (2007)
- 2. Echocardiography in Paediatric and Adult Congenital Heart Disease by Benjamin W. Eidem, Frank Cetta, and Patrick W. O'Leary (2009)
- 3. Echo in Paediatric & Congenital Disease from Foetus to Adult; Wyman Lai, Luc Mertens, Meryl Cohen & Tal Geva (2009)
- 4. The Paediatric Cardiology Handbook; Myung K. Park (2015)
- 5. Adult Congenital Heart Disease; Sara Thorne & Paul Clift (2017)
- 2020 ESC Guidelines for the Management of Adult Congenital Heart Disease; Baumgartner, Helmut, De Backer Julie, Babu-Narayan, Sonya V, et al; European Heart Journal (2020) <u>https://academic.oup.com/eurheartj/advance-</u> <u>article/doi/10.1093/eurheartj/ehaa554/5898606?searchresult=1</u>
- 7. EDUCATIONAL SERIES IN CONGENITAL HEART DISEASE: Echocardiographic assessment of left to right shunts: atrial septal defect, ventricular septal defect, atrioventricular septal defect, patent arterial duct Antigoni Deri and Kate English (2018)
- 8. <u>EDUCATIONAL SERIES IN CONGENITAL HEART DISEASE: Congenital left-sided heart</u> <u>obstruction</u> Michelle Carr, Stephanie Curtis, and Jan Marek (2018)
- 9. EDUCATIONAL SERIES IN CONGENITAL HEART DISEASE: Tetralogy of Fallot: diagnosis to long-term follow-up R Bedair and X Iriart (2019)
- 10. <u>EDUCATIONAL SERIES IN CONGENITAL HEART DISEASE: Echocardiographic</u> <u>assessment of transposition of the great arteries and congenitally corrected</u> <u>transposition of the great arteries</u> Meryl S Cohen and Luc L Mertens (2019)
- 11. Lai W et al. Guidelines and standards for performance of a paediatric echocardiogram: A report from the task force of the paediatric council of the American Society of Echocardiography. J Am Society Echocardiography 2006;19:1413-1430
- 12. Robinson S et al. A practical guideline for performing a comprehensive transthoracic echocardiogram in adults: The British Society of Echocardiography minimum dataset. Echo Research and Practice 2020;7(4):G59-G93.



Appendix 4: Written Examination Registration Guidance

<u>BSE written exams</u> are delivered in partnership with Pearson VUE testing services. Candidates can sit the exam at local centres throughout the UK, the Republic of Ireland, and some overseas areas.

Pre-registration (through the BSE website)

- 1. Candidates must have an active BSE membership (fully paid and up to date).
- Candidates must register their interest in taking the written exam by completing an online pre-registration form via the accreditation section of <u>www.bsecho.org</u>. The pre-registration window is open for up to four weeks.
- 3. Candidates' registered names should appear like their photo identification. Pearson VUE follows a strict admission policy.
- 4. BSE will transfer your data and requirements to Pearson VUE, who will contact all preregistered candidates with further information on confirming placements for the exam.

Delivery methods: Candidates can take the exam in two ways: in a **Test Centre (recommended)** or online proctored exam (OnVUE), which allows them to sit the exam from home (subject to system requirement).

Please note: Candidates who take the exam from home agree to take full responsibility for any technical issues, such as device updates, popup blocking, connection errors, and internet bandwidth. Even if the system checks before the exam are successful, faults may occur during the exam. It's important to understand the potential risks of using this method.

Special accommodations

Pearson VUE can provide <u>special accommodations</u> to candidates with official requirements, such as extra time, a reader, or medication during the examination.

All requests must be in writing and supported by documents from a healthcare professional/provider detailing the requirements and reason for the request. The BSE will approve requests at its discretion and must be submitted within the pre-registration window. To submit such requests, forward them to accreditation@bsecho.org.

Registration (through Pearson VUE)

Pearson VUE will manage all registration and payments after the pre-registration stage.

Candidates in need of special accommodations should notify the BSE during pre-registration.

Cancellations made in less than seven days do not qualify for a refund. All cancellations must be processed through Pearson Vue.

> On the day of the exam

Instructions will be given on the day of the exam via a video tutorial at the test centre. The instructions can also be accessed through Pearson VUE's online resources before the exam. Candidates will complete the exam on a computer at the test centre.



The online exam already includes a basic calculator and a whiteboard application. The examining test centre will give candidates an erasable sheet.

If the candidate chooses to take the exam from home using online proctoring (OnVUE), a calculator and whiteboard are built into the exam as an online app for the candidate to use at their convenience. Therefore, no form of stationery is permitted when taking the exam.

Candidates are required to bring a government photo ID and another form of identification. Please ensure that the registration details match your photo ID exactly; otherwise, you will be refused entry. If denied entry, candidates should contact BSE immediately.

The test centre will not facilitate any last-minute requests for special accommodations.

Results

Results are released 5-6 weeks after sitting the exam. Scores will be uploaded to BSE personal profiles. Both sections must be passed to achieve a complete pass grade.

Pass: Candidates can request login details to the portal to begin uploading logbook reports. The submission deadline will appear under 'Practical submission deadline' after the Written exam scores within the 'Participation' tab of the BSE member profile. This information is also emailed to the candidate (subject to account status).

Fail: candidates can register interest to sit in the next sitting of the exam.

- The reduced fee only applies to candidates who physically sat the exam (for the first time) and were unsuccessful; the second attempt must be taken at the next sitting (within 12 months).
- Results cannot be appealed or 'remarked' as the tests are computer-based.

Please watch the demo available via Pearson VUE: http://www.pearsonvue.com/demo/

> Additional Information

Candidates are advised to check the security procedures in the "What to expect section" of the Pearson VUE/BSE guide page: <u>https://home.pearsonvue.com/Test-takers/Resources.aspx</u>.

Pearson VUE has a strict admissions policy. Candidates' registered names should be exactly as they appear on their government photographic ID.



Appendix 5: Written exam multiple choice questions example

Answer 'True' (T) or 'False' (F) to each of the following.

There is no negative marking - one mark added for a correct answer, no mark deducted for an incorrect answer.

Q1	With regard to ventricular septal defects:	
a)	Doubly committed defects are the most common	F
b)	The Bernoulli equation can be used to assess the pressure difference between the	Т
	left ventricle and the right ventricle	
c)	VSDs always communicate between the right and left ventricles	F
d)	A peri-membranous ventricular septal defect rarely causes pulmonary hypertension	F
e)	The parasternal short axis view is ideal for diagnosing the type and location of a	Т
	ventricular septal defect	1

Q2	The following statements regarding congenital heart disease are true:	
a)	Coronary aorto-ventricular fistula may be associated with a dilated coronary sinus and proximal coronary artery	Т
b)	A highly pulsatile aortic root and akinetic abdominal aorta are associated with aortic coarctation	Т
c)	An ostium primum ASD may be associated with a common AV valve	Т
d)	Large, overriding aorta, ASD and tricuspid stenosis are all associated with tetralogy of Fallot	F
e)	Eisenmenger reaction describes a combination of left-to-right shunt with secondary pulmonary hypertension	Т

Q3	The following are echo features of arrhythmogenic right ventricular dysplasia:	
a)	Global RV dilatation and hypokinesis	Т
b)	Localised aneurysms of the right ventricle	Т
c)	Severe left ventricular systolic impairment	F
d)	Regional right ventricular hypokinesis	Т
e)	Pulmonary stenosis	F



Appendix 6: Written exam image reporting questions example

A number of moving clips and stills will be included in each question. Although these can be viewed and replayed as many times as the candidate wishes, the candidate should be mindful of the time spent on each question.

The SINGLE BEST ANSWER should be selected.


There is no negative marking - one mark added for a correct answer, no mark deducted for an incorrect answer.

Case 1

Request: 43 year old man presented with a systolic murmur, no previous cardiac history.

Data: LVIDd: 5.0cm, proximal ascending aorta: 3.4cm, AV Vmax: 3.8m/s, max PG: 57mmHg, AVA: 1.1cmsq, TAPSE: 2.1cm, descending aorta Vmax: 3.5m/s, AR pressure half time: 560msec.





1.1	The aortic valve is:	Answer
а	Not a native valve	
b	Highly likely bicuspid	Т
С	Highly likely unicuspid	
d	Highly likely tricuspid	

1.2	The images and data demonstrate:	
а	Normal aortic arch	
b	Aortic coarctation with patent ductus arteriosus	Read Control of Contro
С	Aortic ridge at the level of the isthmus	
d	Significant aortic coarctation	Т



Appendix 7: BSE logbook portal user guidance

1. User Login Details:

- Request login details by emailing the accreditation team-<u>accreditation@bsecho.org</u>.
- Provide your BSE ID number, the type of *accreditation you are pursuing.
- Also, inform us of your mentor's name and email address- we will assign them to your logbook.
- An automated message from the portal will be emailed to you with your login details.
- o Link to the portal: <u>https://logbook-v2.bsecho.org/login</u>

British Society of Echocardiography	
Username or Email	
accreditation@bsecho.org	
Password	
•••••	
Remember me	
Forgot your password? Login	

a. If you have forgotten your password, please click the link titled Forgot your password?

email ac link that	our password? No dress and we will e will allow you to ch	email you a pas	sword rese
Email			



2. Update your profile

• Click on your name, then **'Profile'** to update your name, email and password.

Candidate Dashboard Mentor Dashboard A	ssessor Dashboard Admin Dashboard	Jo Vashishta ×
Profile	<	Manage Account Profile
Profile Information	Membership Number	Logout
Update your account's profile information and email address.	BSE Staff	
	Username thanijo	
	First Name Jo	
	Surname	
	Vashishta Email	
	jo@bsecho.org	
		Save

Enter new password and click 'save.'

Undate Dassword		
Update Password	Current Password	
Ensure your account is using a long, random password to stay secure.	P	
	New Password	
	P	
	Confirm Password	
	@	
	Save	D
Browser Sessions Manage and logout your active sessions on other browsers and devices.	If necessary, you may logout of all of your other browser sessions across all of your devices. Some of your recent sessions are listed below; however, this list may not be exhaustive. If you feel your account has been compromised, you should also update your password.	



3. User dashboard (e.g. Candidate, Mentor or Assessor)

Click on the visible heading to access your dashboard

Candidate Dashboard	Myntor Dashboard Assessor Dashboard	Admin Dashboard			Jo Vashishta ~
Candidate Dashboard					
ACCREDITATION	WRITTEN EXAM DATE	LOGBOOK	COMPETENCIES	MENTOR STATEMENTS	STATUS
TTE Test version for upgrade	× No date set	0 of 1 0%	0 of 3 0%	0 of 7 0%	In Progress

a. Enter Written Exam Date

Click on \times No date set to bring up the calendar and select the date you sat the written exam.

Level 1 candidates should add the date they started the accreditation.

Candidate Dashboard Mer	TTE Test version for upg Written Exam Date	rade	Close Save	MENTOR
TTE Test version for upgrade	× No date set	0 of 1 0%	0 of 3 0%	0 of 7 0%

b. Click the box under the Logbook title to begin uploading PDF reports. The portal will take only PDF uploads.

\bigcirc	Candidate Dashboard	Mentor Dashboard	Assessor Dashboard	Admin Dashboard	
Candid	ate Dashboard				
ACCRED	DITATION	WRITTEN EX	AM DATE	LOGBOOK	
TTE Tes	st version for upgrade	10/11/2021		0 of 1 0%	



To add a new case, click on 'Add a new Case', give it a Title, enter the date of the case and Choose File.

Candidate Dashboard Mentor Dashboard Assessor Dashboard Admin Dashboard		Jo Vashishta 🗸
TTE Test version for upgrade > Case 1	S Logbook Comments	† (P)
✓ Case 1 ○ You haven't added any cases yet Add a new Case	View Annotate	Q 7 (*)
Candidate Dashboard Mentor Dashboard Assessor Dashboard TTE Test version for upgrade > Case 1 Case 1 O You haven't added any cases yet Add a new Case	Add a new Case	

- Explore the features and tools by hovering over the icons to find what they can do.
- To save your work, click 🔗, to delete click 🧰

Candide	ate Dashboard	Mentor Dashboard Assessor Dashboard Admir	Dashboard		Jo Vashishta
TTE Test versio	on for upgrade	e > Case1 > Test @		🔍 Logbook Comments 🔍 🔾 Case Comm	ments 📋 🖓
Case 1	1/1	□ 0 202% ~ ○ ⊕	View Annotate		Q 🗇 🤅
ſest	9	E <u>A</u> <u>A</u> <u>A</u>	🖻 T 🔳 🖉 🔳~		
9/11/2021 Add a new	Case				
			British Soci of Echocard	lety diography	
		Appendix 8: Report for	rmat		
			IAT FOR A REPORT WITHIN TH T BE ANONYMIZED AS PER <u>APP</u>	E WORKPLACE. PLEASE NOTE – ALL ENDIX 15	
		The report should comprise	the following sections:		
		Demographic and other Ide	ntifying Information		
	-	Obligation	< <u>1</u> /1 >		

The 'Rectangle' tool allows masking over unwanted data. Click the Save button to keep the anonymised changes.



st 💿	Image: Image	
/11/2021	Summary Stroke Fill	
Add a new Case	This important section should contain final commer by the TTE request. This may comprise simple repet the main part of the report (e.g. "severe LV dysfund report's technical aspects, particularly for abnormal previous echocardiographic studies or reports shou similarities) highlighted. Technical limitations of the included.	h

You can add a logbook or case comments to share with your mentor.

Candidate Dashboard Mentor Dashb	Logbook Co	mments	
TTE Test version for upgrade > Case	1	You can add comments when discussing work with your mentor	Comments
v Case 1	6	VASHISHTA, JO 29/11/2021	
m Test 29/11/2021	Post a comr	nent	Send
Add a new Case	-	British Socie of Echocard	ety iography
	Annendix	8. Report format	

4. Competencies

Your mentor will access your portal via their login and sign off on each of the competencies.

Candidates can view their progress on the dashboard.

Candidate Dashboard	Mentor Dashboard	Assessor Dashboard	Admin Dashboard			Jo Vashishta ~
andidate Dashboard						
ACCREDITATION	WRITTEN EXAM	DATE	LOGBOOK	COMPETENCIES	MENTOR STATEMENTS	STATUS
TTE Test version for upgrade	10/11/2021		1 of 1 100%	0 of 3	0 of 7 0%	In Progress

Mentor view:

The mentor clicks the sections below the' DATE SIGNED OFF' header to sign off competencies by clicking on 'Sign off.'



TTE Test version for upgrade - Vashishta, Jo

COMPETENCY	SIGNED OFF BY	DATE SIGNED OFF
Received correctly		
1a. Basic Echocardiography - Knowledge		
a. Basic principles of ultrasound		Sign Off 🗸
b. Basic principles of spectral Doppler	w Vashishta, Jo	29/11/2021 ×
c. Basic principles of colour flow Doppler	w Vashishta, Jo	29/11/2021 ×

When the mentor has completed the competency sign-off, they must do the same for the 'Mentor statement.'

1. I certify that the candidate has undergone a programme of training in echocardiography.	🗷 Vashishta, Jo	29/11/2021 ×
2. I certify I have observed the candidate scanning and I am satisfied that he/she is competent at completing a full transthoracic echo study.	💌 Vashishta, Jo	29/11/2021 ×
3. I certify that the candidate has reached a standard of training to be able to independently perform and report a transthoracic echocardiographic study. He/she has reached all of the mandated competencies. I have signed off the candidate's competency sheet.	💌 Vashishta, Jo	29/11/2021 ×
4. I certify that the candidate above has performed and reported the cases included in the accompanying Log Book within a 24-month period (or the timeframe as agreed by the BSE).	💌 Vashishta, Jo	29/11/2021 ×
5. I certify that this is a demonstration of the logbook portal for testing purposes only and does not constitute BSE TTE accreditation and that this is understood by myself and the candidate.	<	Sign Off 🗸

5. Candidate logbook submission


Candidates can check the progress of their logbooks in the dashboard by clicking the arrow after 'In Progress'.

Candidate Dashboard					
ACCREDITATION	WRITTEN EXAM DATE	LOGBOOK	COMPETENCIES	MENTOR STATEMENTS	STATUS
TTE Test version for upgrade	10/11/2021	1of1 100%	3 of 3 100%	7 of 7 100%	In Progress >

a. Verify and submit

Check you have completed the requirement before clicking 'Continue.'





b. Enter the Head of Department Email Address and click submit:

Candidate Dashboard Mentor D.	Verify & Submit TTE Test version for upgrade		Jo Vashishta 🗸
Candidate Dashboard	Your logbook has been verified and is ready for submission. Please provide your Head of Department email address to continue.		
	Head of Department Email Address		
ACCREDITATION		MENTOR STATEMENTS	STATUS
TTE Test version for upgrade	Close Submit	7 of 7 100%	In Progress >

- a. Contact <u>accreditation@bsecho.org</u> to inform you that you have entered your HOD's email address and clicked submit.
- b. We will send the email to your HOD so that they can validate your logbook. Please ask your HOD to check their junk mail if the email is not visible.

Candidate Dashboard					
ACCREDITATION	WRITTEN EXAM DATE	LOGBOOK	COMPETENCIES	MENTOR STATEMENTS	STATUS
TTE Test version for upgrade	10/11/2021	1 of 1 100%	3 of 3 100%	7 of 7 100%	Validating Head of Department

6. Validate logbook: Your Head of Department must click the link to accept the statement.

Dear Head of Department, Jo Vashishla (jo@beecho.org) has given your email address for you to make the statement below regarding their TTE Test version for upgrade logbook: "I am satisfied that the candidate above has performed and reported the cases in the TTE Test version for upgrade logbook within the 24-month period." Please use one of the links below to accept or reject this statement. Click here to accept this statement Click here to reject this statement	BSE Logbook - Head of Department Sign Off Request BSE Logbook <accreditation@bsecho.org></accreditation@bsecho.org>		S Reply	
(Please note, the links above will expire after one week). Thanks, The BSE Logbook Team	BSE Logbook <acceditation@bsecho.org></acceditation@bsecho.org>	Dear Head of Department, Jo Vashishta (<u>jo@bsecho.org</u>) has given your email address for you to make the statement below regarding their TTE Test version for upgrade logbook: " ¹ am satisfied that the candidate above has performed and reported the cases in the TTE Test version for upgrade logbook within the 24-month period." Please use one of the links below to accept or reject this statement. Click here to accept this statement Click here to reject this statement (Please note, the links above will expire after one week). Thanks,	2 read 12	



a. Head of Department validated: After clicking the statement, the Head of Department receives the message below.



Some NHS emails may block messages from the logbook portal- <u>accreditation@bsecho.org</u>. In this case, candidates should consider providing an alternative email address, e.g. non-NHS email addresses.

7. Logbook submitted: Once the logbook has been validated, it is ready for an assessor to mark.

Candidate Dashboard

ACCREDITATION	WRITTEN EXAM DATE	LOGBOOK	COMPETENCIES	MENTOR STATEMENTS	STATUS
TTE Test version for upgrade	10/11/2021	1 of 1 100%	3 of 3 100%	7 of 7 100%	Submitted

- No further action is required from this point.
- Candidates will be notified when marking is complete.



Appendix 8: Logbook guidance and marking criteria

In order to meet all competencies of this accreditation process the logbook should represent good/excellent examples of a candidate's daily workload.

Whilst we encourage the use of good/excellent work to be included in the logbook, it is acknowledged that not every report in the logbook will meet this standard. Therefore, when considering whether to include a report, please refer to the following as an absolute minimum.

If a report does not meet the below, it should not be included as a logbook report

Clinical question: Must be stated. Age: Must ne stated. BSA: Height and weight to determine BSA should be quoted where possible. For infants, if only weight is available this should be quoted. BP: Measurement only where appropriate e.g. aortic stenosis.

Paediatric studies

Height and weight, or weight only in infants Rate and rhythm Image quality / cooperation of patient

Position , Situs and connections : Describe the position of the heart in the chest and the atrial situs. Describe the atria ventricular and ventriculo arterial connections. For example, Levocardia, Situs solitus, AV-VA concordance

Systemic venous return: Describe the drainage of the SVC and IVC to the right atrium.

Pulmonary venous return: Describe the drainage of the pulmonary veins

Atrial septum: The septum appears intact with no shunts seen or describe any abnormalities

Right atrium: Normal / abnormal in size

Left atrium: Normal / abnormal in size. Biplane volume measurement where possible.

Tricuspid valve: Describe the observed structure and comment on TR. TR Vmax should be given to assess RV systolic pressure where present.

Mitral valve: Describe the observed structure and comment on MR. Mitral valve Doppler assessment and TDI measurement ideally.



Pulmonary valve: Describe the appearance of the valve, comment on stenosis / regurgitation. Comment on left and right pulmonary arteries, comment of patent ductus arteriosis present.

Aortic valve: Describe the appearance of the valve, comment on stenosis / regurgitation. Comment on coronary artery origins.

Right ventricle: Right ventricular assessment of size and function, TAPSE and RV S' **Left ventricle:** LVIDd and LV wall thickness, visual assessment and description of function. Where possible, biplane Simpson's assessment for ventricular function.

Ventricular septum: The septum appears intact with no shunts seen or describe any abnormalities

RVOT / LVOT: Assess for right and left ventricular outflow tract obstruction using colour and PW Doppler modalities.

Aorta: Comment on ascending aorta size, aortic arch, proximal descending aorta and abdominal aorta where possible. Assess Doppler velocities in ascending and descending aorta.

Pericardium: Comment on absence / presence of pericardial fluid

Conclusion / Summary:

Must relate to the clinical question.

Z scores may be used to assess structure size in children in relation to their BSA or weight.

Adult Studies

The report format for an adult CHD study may be presented in the style suggested in the BSE adult TTE accreditation pack, all parts and connections of the heart must be determined.



Logbook marking criteria

When marking a candidate's logbook, the Assessor will review a selection of reports in the candidate's logbook.

The following marking criteria is used when assessing each logbook report

Does the report meet the following criteria?	Yes / No (if no, state reasons why)
Fully Anonymised	
Indication for echo present	
Appropriate 2D measurements present	
Appropriate Doppler calculations present	
Do measurements / Doppler calculations match descriptions	
All parts of heart described	
Descriptions complete	
Appropriate to request	
Conclusion present	

Logbook outcomes include:

Satisfactory log-book for BSE accreditation OR Unsatisfactory at present and a resubmission is required.

If a logbook is unsatisfactory, the candidate will be asked for one of the following resubmissions.

- 25-75 further specified reports: To address repeated inaccuracies, lack of correct conclusion or lack of sequential systematic comments on all parts of the heart. (e.g. lack of RWMA description + lack of quantitative valve pathology measurements).
- 250 reports: To address significant errors, inaccurate information, or a lack of systematic comments, the logbook will need to be completely resubmitted for the presence of a Patient ID on any report.

To ensure consistency across logbook marking, all logbooks are discussed with the national logbook leads and chief assessor prior to a resubmission being requested.



Appendix 9: Guidance for the removal of patient identifiable data

The duty of confidentiality arises from the common law of confidentiality, professional obligations and staff employment contracts. Breach of confidence may lead to disciplinary measures, question professional reputation and possibly result in legal proceedings.

Guidance is provided to Healthcare Professionals in the 'NHS Code of Practice on Confidentiality' (November 2003):

http://www.dh.gov.uk/prod_consum_dh/groups/dh_digitalassets/@dh/@en/documents/digitalasset/ dh_4069254.pdf

Patient information that can identify individual patients is confidential and must not be used or disclosed in any part of the submission required for this accreditation process. In contrast, anonymised information is not confidential and may be used.

Key identifiable information includes:

- a. Patient's name
- b. Address
- c. Full post code
- d. Date of birth
- e. NHS number and local identifiable codes

Key identifiable information may also include information that can be used to identify a patient directly or indirectly. For example, rare diseases, drug treatment, or statistical analyses involving very small numbers within a small population may allow individuals to be identified.

Guidance to candidates submitting Logbooks and Cases for Accreditation

The NHS Code of Practice on confidentiality means that evidence submitted for this accreditation process must have removed **ALL** patient identifiable information beyond gender and age/year of birth.

Reports – Please use the BSE <u>online portal</u> and electronically delete all patient information except age and gender.

We advocate against using other electronic anonymisation methods as sometimes data is still present. If in doubt, manually remove patient identification information before use.

Video cases—We appreciate that removing patient IDs may be difficult. Therefore, it is advised that the video cases are specifically collected and the data inputs made relevant to your cases (E.g., the Patient Name could be 'BSE Case 1', and the Patient Number could be your membership number followed by the case number, '1111-1').

The final decision remains at the discretion of the Chair of the Accreditation Committee.



Appendix 10: Practical scanning assessment marking criteria

The marking criteria used for the practical scanning assessment can be seen below.

2 minutes:	 Familiarisation of echo machine / equipment. Assessor will be on hand if assistance is required.
20 minutes:	 Candidate to have 2 minutes to obtain and acquire each image. The Assessor will instruct the candidate on the images to acquire. The Assessor can alter echo machine / equipment setting to optimise images at the direction of the candidate.

The pass mark is set at 102 points. Once this mark is achieved the candidate will be deemed as being successful at this station.

Each image the candidate acquires is scored as per the marking scheme below.

F = Fail = 0 points:	unable to demonstrate appropriate skill set
BF = Borderline Fail = 1 point:	unable to demonstrate appropriate skill set, is able to describe reasons how improvement could be achieved
BP = Borderline Pass = 2 points: quality	able to acquire/demonstrate skill set although fails to optimize image acquisition
P = Pass = 3 points: optimization of images	able to fully demonstrate high quality image acquisition with appropriate

An example of the imaging list used in this assessment can be seen below.

	Image (Score Weighting)
1	Demonstrate & identify situs (5)
2	2D subcostal view demonstrating the abdominal aorta (3)
3	2D bicaval view with colour flow mapping (5)
4	2D parasternal long axis (3)
5	2D modified parasternal short axis demonstrating main pulmonary artery & branches (5)
6	Pulsed wave Doppler trace of right ventricular outflow tract (3)
7	2D proximal right coronary artery with colour flow mapping (5)
8	2D apical 4 chamber (3)
9	2D apical 4 chamber modified to demonstrate the coronary sinus (3)



Appendix 11: Patient case studies viva marking criteria

The next few pages show the individual marking criteria for each of the patient video case studies.

All criteria must be met to a satisfactory standard in order for the patient case study to be passed.

A minimum of two patient case studies will be assessed. The British Society of Echocardiography reserves the right to assess all five patient viva cases.

Congenital heart disease accreditation. Case 1 – No	ormal stu	dy Practice must be satisfactory in all areas to pass	
Evidence of satisfactory practice	Tick	Evidence of unsatisfactory practice	Tick
ECG	S	ECG	
Largely present throughout without 2D		Unstable or frequently absent making	
image interference		timings inaccurate	
Optimisation		Optimisation	
Infrequent, non-repetitive optimisation		Frequent, repetitive optimisation	
errors which do not detract from the case		errors which detract from the case conclusion	
conclusion			100
Complete study		Incomplete study	
Images are complete enough to allow full		Images are missing which are relevant to the	
sequential, segmental assessment of the heart,		accurate segmental, sequential assessment of the	
including Doppler study and measurements.		heart, including inadequate Doppler study or	
		relevant measurements quoted in report but not	
		demonstrated.	
2D measurements/M-mode (if appropriate)		2D measurements/M-mode (if appropriate)	
Accurate throughout with minor errors only		Frequent inaccuracies or isolated inaccuracies that	
-	10	change the categorisation of the chosen pathology	-
Colour Doppler		Colour Doppler	
Accurate box size, gain, scale and baseline		Frequent inaccuracies of box size, gain, scale and	
settings demonstrating anatomy clearly		baseline settings which prevent clear demonstration	
		of the anatomy	
Spectral Doppler		Spectral Doppler	
Accurate use with good cursor alignment and		Inaccurate use with poor cursor alignment or	
optimised waveforms		waveform optimisation altering pathology	
		assessment	
Pathology assessment		Pathology assessment	
No images missing which are key to pathology		Images missing which are key to pathology	
assessment		assessment	
No measurements significantly inaccurate that		Measurements key to pathology assessment	
are key to pathology assessment		significantly inaccurate	
		and change the categorisation of the pathology	
Report is complete and accurate		Report is incomplete or inaccurate	
Comprehensive/accurate description of all parts		Partial/inaccurate description of parts of the heart	
of the heart and connections		and connections	
Correct categorisation of chosen pathology (NB		Incorrect categorisation of chosen pathology	
trivial abnormalities may be included in this case)		Incorrect interpretation of findings in the clinical	
Correct interpretation of findings in the clinical		context	
context			



Evidence of satisfactory practice T ECG Largely present throughout without 2D image interference Optimisation Infrequent, non-repetitive optimisation errors which do not detract from the case conclusion Complete study Images are complete enough to allow full assessment of the selected pathology, including Doppler study and measurements. 2D measurements/M-mode (if appropriate) Accurate throughout with minor errors only Colour Doppler Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment Full assessment of the unrepaired lesion with		 ECG Unstable or frequently absent making timings inaccurate Optimisation Frequent, repetitive optimisation errors which detract from the case conclusion Incomplete study Images are missing which are relevant to the accurate assessment of the selected pathology, including inadequate Doppler study or relevant measurements quoted in report but not demonstrated. 2D measurements/M-mode (if appropriate) Frequent inaccuracies or isolated inaccuracies that change the categorisation of the chosen pathology Colour Doppler Frequent inaccuracies of box size, gain, scale and baseline settings which prevent clear demonstration of the 	
Interference Optimisation Infrequent, non-repetitive optimisation errors which do not detract from the case conclusion Images are complete study Images are complete enough to allow full assessment of the selected pathology, including Doppler study and measurements. Images are complete enough to allow full assessment of the selected pathology, including Doppler study and measurements. 2D measurements/M-mode (if appropriate) Accurate throughout with minor errors only Colour Doppler Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment Pathology assessment		timings inaccurate Optimisation Frequent, repetitive optimisation errors which detract from the case conclusion Incomplete study Images are missing which are relevant to the accurate assessment of the selected pathology, including inadequate Doppler study or relevant measurements quoted in report but not demonstrated. 2D measurements/M-mode (if appropriate) Frequent inaccuracies or isolated inaccuracies that change the categorisation of the chosen pathology Colour Doppler Frequent inaccuracies of box size, gain, scale and baseline settings which prevent clear demonstration of the	
Optimisation Infrequent, non-repetitive optimisation errors which do not detract from the case conclusion Complete study Images are complete enough to allow full assessment of the selected pathology, including Doppler study and measurements. 2D measurements/M-mode (if appropriate) Accurate throughout with minor errors only Colour Doppler Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment		OptimisationFrequent, repetitive optimisation errors whichdetract from the case conclusionIncomplete studyImages are missing which are relevant to theaccurate assessment of the selectedpathology, including inadequate Doppler studyor relevant measurements quoted in reportbut not demonstrated.2D measurements/M-mode (ifappropriate)Frequent inaccuracies or isolatedinaccuracies that change thecategorisation of the chosen pathologyColour DopplerFrequent inaccuracies of box size, gain, scaleand baseline settings whichprevent clear demonstration of the	
 Infrequent, non-repetitive optimisation errors which do not detract from the case conclusion Complete study Images are complete enough to allow full assessment of the selected pathology, including Doppler study and measurements. 2D measurements/M-mode (if appropriate) Accurate throughout with minor errors only Colour Doppler Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment 		Frequent, repetitive optimisation errors which detract from the case conclusionIncomplete studyImages are missing which are relevant to the accurate assessment of the selected pathology, including inadequate Doppler study or relevant measurements quoted in report but not demonstrated.2D measurements/M-mode (if appropriate)Frequent inaccuracies or isolated inaccuracies that change the categorisation of the chosen pathologyColour Doppler Frequent inaccuracies of box size, gain, scale and baseline settings which prevent clear demonstration of the	
not detract from the case conclusion Complete study Images are complete enough to allow full assessment of the selected pathology, including Doppler study and measurements. 2D measurements/M-mode (if appropriate) Accurate throughout with minor errors only Colour Doppler Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment		detract from the case conclusionIncomplete studyImages are missing which are relevant to the accurate assessment of the selected pathology, including inadequate Doppler study or relevant measurements quoted in report but not demonstrated.2D measurements/M-mode (if appropriate)Frequent inaccuracies or isolated inaccuracies that change the categorisation of the chosen pathologyColour Doppler Frequent inaccuracies of box size, gain, scale and baseline settings which prevent clear demonstration of the	
Complete study Images are complete enough to allow full assessment of the selected pathology, including Doppler study and measurements. 2D measurements/M-mode (if appropriate) Accurate throughout with minor errors only Colour Doppler Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment		 Incomplete study Images are missing which are relevant to the accurate assessment of the selected pathology, including inadequate Doppler study or relevant measurements quoted in report but not demonstrated. 2D measurements/M-mode (if appropriate) Frequent inaccuracies or isolated inaccuracies that change the categorisation of the chosen pathology Colour Doppler Frequent inaccuracies of box size, gain, scale and baseline settings which prevent clear demonstration of the 	
Images are complete enough to allow full assessment of the selected pathology, including Doppler study and measurements. 2D measurements/M-mode (if appropriate) Accurate throughout with minor errors only Colour Doppler Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment		Images are missing which are relevant to the accurate assessment of the selected pathology, including inadequate Doppler study or relevant measurements quoted in report but not demonstrated. 2D measurements/M-mode (if appropriate) Frequent inaccuracies or isolated inaccuracies that change the categorisation of the chosen pathology Colour Doppler Frequent inaccuracies of box size, gain, scale and baseline settings which prevent clear demonstration of the	
of the selected pathology, including Doppler study and measurements. 2D measurements/M-mode (if appropriate) Accurate throughout with minor errors only Colour Doppler Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment		accurate assessment of the selected pathology, including inadequate Doppler study or relevant measurements quoted in report but not demonstrated. 2D measurements/M-mode (if appropriate) Frequent inaccuracies or isolated inaccuracies that change the categorisation of the chosen pathology Colour Doppler Frequent inaccuracies of box size, gain, scale and baseline settings which prevent clear demonstration of the	
measurements. 2D measurements/M-mode (if appropriate) Accurate throughout with minor errors only Colour Doppler Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment		pathology, including inadequate Doppler study or relevant measurements quoted in report but not demonstrated. 2D measurements/M-mode (if appropriate) Frequent inaccuracies or isolated inaccuracies that change the categorisation of the chosen pathology Colour Doppler Frequent inaccuracies of box size, gain, scale and baseline settings which prevent clear demonstration of the	
2D measurements/M-mode (if appropriate) Accurate throughout with minor errors only Colour Doppler Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment		or relevant measurements quoted in report but not demonstrated. 2D measurements/M-mode (if appropriate) Frequent inaccuracies or isolated inaccuracies that change the categorisation of the chosen pathology Colour Doppler Frequent inaccuracies of box size, gain, scale and baseline settings which prevent clear demonstration of the	
Accurate throughout with minor errors only Colour Doppler Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment		or relevant measurements quoted in report but not demonstrated. 2D measurements/M-mode (if appropriate) Frequent inaccuracies or isolated inaccuracies that change the categorisation of the chosen pathology Colour Doppler Frequent inaccuracies of box size, gain, scale and baseline settings which prevent clear demonstration of the	
Accurate throughout with minor errors only Colour Doppler Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment		but not demonstrated. 2D measurements/M-mode (if appropriate) Frequent inaccuracies or isolated inaccuracies that change the categorisation of the chosen pathology Colour Doppler Frequent inaccuracies of box size, gain, scale and baseline settings which prevent clear demonstration of the	
Accurate throughout with minor errors only Colour Doppler Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment		appropriate)Frequent inaccuracies or isolatedinaccuracies that change thecategorisation of the chosen pathologyColour DopplerFrequent inaccuracies of box size, gain, scaleand baseline settings whichprevent clear demonstration of the	
Accurate throughout with minor errors only Colour Doppler Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment		appropriate)Frequent inaccuracies or isolatedinaccuracies that change thecategorisation of the chosen pathologyColour DopplerFrequent inaccuracies of box size, gain, scaleand baseline settings whichprevent clear demonstration of the	
Colour Doppler Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment		Frequent inaccuracies or isolated inaccuracies that change the categorisation of the chosen pathology Colour Doppler Frequent inaccuracies of box size, gain, scale and baseline settings which prevent clear demonstration of the	
Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment		inaccuracies that change the categorisation of the chosen pathology Colour Doppler Frequent inaccuracies of box size, gain, scale and baseline settings which prevent clear demonstration of the	
Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment		categorisation of the chosen pathology Colour Doppler Frequent inaccuracies of box size, gain, scale and baseline settings which prevent clear demonstration of the	
Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment		Frequent inaccuracies of box size, gain, scale and baseline settings which prevent clear demonstration of the	
Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment		Frequent inaccuracies of box size, gain, scale and baseline settings which prevent clear demonstration of the	
demonstrating anatomy clearly Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment		and baseline settings which prevent clear demonstration of the	
Spectral Doppler Accurate use with good cursor alignment and optimised waveforms Pathology assessment		prevent clear demonstration of the	
Accurate use with good cursor alignment and optimised waveforms Pathology assessment			
Accurate use with good cursor alignment and optimised waveforms Pathology assessment		anatomy	
Accurate use with good cursor alignment and optimised waveforms Pathology assessment		Spectral Doppler	
waveforms Pathology assessment	1	Inaccurate use with poor cursor alignment	
		or waveform optimisation altering	
		pathology assessment	
		Pathology assessment	
		Missing or poor quality images with do not	
necessary measurements		demonstrate the lesion	
No images missing which are key to pathology		Images missing which are key to	
assessment		pathology assessment	
N			
No measurements significantly inaccurate that are key		Measurements key to pathology	
to pathology assessment		assessment significantly inaccurate and change	
		the categorisation of the pathology	
Report is complete and accurate		Report is incomplete or inaccurate	
Comprehensive and accurate description of all parts		Partial and inaccurate description of parts	
of the heart		of the heart	
Correct categorisation of chosen pathology		Incorrect categorisation of chosen	
Correct interpretation of findings in the clinical		pathology	
context		Incorrect interpretation of findings in the clinical context	



Evidence of satisfactory practice	Tick	Evidence of unsatisfactory practice	Tick
ECG Largely present throughout without 2D image		ECG Unstable or frequently absent making	
interference		timings inaccurate	
Optimisation Infrequent, non-repetitive optimisation errors which do not detract from the case conclusion		Optimisation Frequent, repetitive optimisation errors which detract from the case conclusion	
Complete study Images are complete enough to allow full assessment of the selected pathology, including Doppler study and measurements		Incomplete study Images are missing which are relevant to the accurate assessment of the selected pathology, including inadequate Doppler study or relevant measurements quoted in report but not demonstrated	
2D measurements/M-mode (if appropriate) Accurate throughout with minor errors only		2D measurements/M-mode (if appropriate) Frequent inaccuracies or isolated inaccuracies that change the categorisation of the chosen pathology	
Colour Doppler Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly		Colour Doppler Frequent inaccuracies of box size, gain, scale and baseline settings which prevent clear demonstration of the anatomy	
Spectral Doppler Accurate use with good cursor alignment and optimised waveforms		Spectral Doppler Inaccurate use with poor cursor alignment or waveform optimisation altering pathology assessment	
Pathology assessment Full assessment of the uncorrected complex lesion		Pathology assessment Poor or inadequate assessment of the uncorrected complex lesion	
No images missing which are key to pathology assessment No measurements significantly inaccurate that are key to pathology assessment		Images missing which are key to pathology assessment Measurements key to pathology assessment significantly inaccurate and change the categorisation of the pathology	
Report is complete and accurate Comprehensive and accurate description of all parts of the heart Correct categorisation of chosen pathology Correct interpretation of findings in the clinical context		Report is incomplete or inaccurate Partial and inaccurate description of parts of the heart Incorrect categorisation of chosen pathology Incorrect interpretation of findings in the clinical context	




Evidence of satisfactory practice	Tick	Evidence of unsatisfactory practice	Tick
ECG		ECG	
Largely present throughout without 2D		Unstable or frequently absent making	
image interference	1.1	timings inaccurate	
Optimisation		Optimisation	
Infrequent, non-repetitive optimisation errors which		Frequent, repetitive optimisation errors	
do not detract from the case		which detract from the case	
conclusion		conclusion	19
Complete study		Incomplete study	-
Images are complete enough to allow full assessment		Images are missing which are relevant to	
of the selected pathology, including Doppler study		the accurate assessment of the selected	
and measurements		pathology, including inadequate Doppler	
		study or relevant measurements quoted in	100
		report but not demonstrated	
2D measurements/M-mode (if appropriate)		2D measurements/M-mode (if appropriate)	
Accurate throughout with minor errors only		Frequent inaccuracies or isolated	
		inaccuracies that change the	
		categorisation of the chosen pathology	
Colour Doppler		Colour Doppler	
Accurate box size, gain, scale and baseline settings		Frequent inaccuracies of box size, gain,	
demonstrating anatomy clearly		scale and baseline settings which	-
		prevent clear demonstration of the	
		anatomy	
Spectral Doppler		Spectral Doppler	_
Accurate use with good cursor alignment and		Inaccurate use with poor cursor alignment or	
optimised waveforms		waveform optimisation altering pathology	
		assessment	
Pathology assessment		Pathology assessment	
Full assessment of the repaired pathology with note		Incomplete assessment of the repaired	
to assess post-operative complications (leaks, re-		pathology	
stenosis)		Images missing which are key to	
No images missing which are key to pathology		pathology assessment	
assessment		Measurements key to pathology	
No measurements significantly inaccurate that are key		assessment significantly inaccurate and	
to pathology assessment.		change the categorisation of the	
		pathology.	<u> </u>
Report is complete and accurate		Report is incomplete or inaccurate	
Comprehensive and accurate description of all parts		Partial and inaccurate description of parts	1
of the heart		of the heart	
Correct categorisation of chosen pathology		Incorrect categorisation of chosen	
Correct interpretation of findings in the clinical		pathology	
context		Incorrect interpretation of findings in the	
		clinical context	



Evidence of satisfactory practice	Tick	Evidence of unsatisfactory practice	Tick
ECG Largely present throughout without 2D		ECG Unstable or frequently absent making	
image interference Optimisation Infrequent, non-repetitive optimisation errors which do not detract from the case conclusion Complete study Images are complete enough to allow full assessment of the selected pathology, including Doppler study and measurements		timings inaccurate Optimisation Frequent, repetitive optimisation errors which detract from the case conclusion Incomplete study Images are missing which are relevant to the accurate assessment of the selected pathology, including inadequate Doppler study or relevant measurements quoted in report but not	
2D measurements/M-mode Accurate throughout with minor errors only		demonstrated 2D measurements/M-mode Frequent inaccuracies or isolated inaccuracies that change the categorisation of the chosen pathology	
Colour Doppler Accurate box size, gain, scale and baseline settings demonstrating anatomy clearly		Colour Doppler Frequent inaccuracies of box size, gain, scale and baseline settings which prevent clear demonstration of the anatomy	
Spectral Doppler Accurate use with good cursor alignment and optimised waveforms		Spectral Doppler Inaccurate use with poor cursor alignment or waveform optimisation altering pathology assessment	
Pathology assessment No images missing which are key to pathology assessment (e.g. suprasternal view, bifurcation) No measurements significantly inaccurate that are key to pathology assessment.		Pathology assessment Images missing which are key to pathology assessment Measurements key to pathology assessment significantly inaccurate and change the categorisation of the pathology	
Report is complete and accurate Comprehensive and accurate description of all parts of the heart Correct categorisation of chosen pathology Correct interpretation of findings in the clinical context		Report is incomplete or inaccurate Partial and inaccurate description of parts of the heart Incorrect categorisation of chosen pathology Incorrect interpretation of findings in the clinical context	



Accreditation Process Overview





Useful Links & Contacts

Some pages are restricted to BSE paid members only and require login before accessing.

- Accreditation process- <u>https://www.bsecho.org/Public/Public/Accreditation/Personal-accred/Process.aspx</u>
- Education resources (protocols & guidelines) https://www.bsecho.org/Public/Public/Education/Protocols-and-guidelines.aspx
- Extension requests- <u>https://www.bsecho.org/Public/Public/Accreditation/Personal-</u> accred/Extension-requests.aspx
- Logbook portal- <u>https://logbook.bsecho.org/</u>
- Pearson VUE Testing- <u>https://home.pearsOnVUE.com/bse</u>
- **Practical assessments-** <u>https://www.bsecho.org/Public/Public/Accreditation/Personal-</u> <u>accred/Practical-assessment.aspx</u>
- Re-accreditation- <u>https://www.bsecho.org/Public/Public/Accreditation/Personal-accred/Re-</u> accreditation.aspx
- Regional representatives map- <u>https://www.bsecho.org/Public/About-</u> <u>Us/Governance/Council-committees/Regional-representatives.aspx</u>
- Written examination dates- <u>https://www.bsecho.org/Public/Public/Accreditation/Personal-accred/Written-examination.aspx</u>

Join the Accreditation Clinics on the first Thursday of the month at 1 pm to ask your questions about accreditation. The Clinics are hosted by the Accreditation team with the support of a committee member involved in the assessment process.

Sign up for a clinic- https://www.bsecho.org/Public/Public/Events/Events_List.aspx

Contacts

- All accreditation queries (including exam registrations) and requests to access the portal should be made to <u>accreditation@bsecho.org</u>
- Membership questions should be sent to <u>membership@bsecho.org</u>
- Events, education and e-learning questions should be sent to events@bsecho.org
- Concerns or complaints should be directed to admin@bsecho.org
- Phone number for all areas: 0208 065 5794 (Mon-Fri 9 am-5 pm)